



LAMINA PERFORADA

DIAMETRO DE PERFORACION		DISTANCIA ENTRE CENTROS		PERFORACIONES POR PULGADAS	AREA LIBRE
mm.	Pulgadas.	mm.	Pulgadas		
1.6	0.062	3.2	0.125	74	22
2.0	0.078	3.5	0.137	62	29
2.0	0.078	4.0	0.157	47	22
2.4	0.093	4.0	0.157	47	32
2.4	0.093	6.4	0.250	18	13
2.5	0.098	4.0	0.157	47	35
3.0	0.118	5.0	0.196	30	33
3.2	0.125	4.7	0.187	33	41
3.2	0.125	6.4	0.250	18	23
4.0	0.157	4.7	0.187	23	64
4.0	0.157	6.4	0.250	18	36
4.7	0.187	6.4	0.250	18	51
5.0	0.196	7.0	0.275	15	46
5.0	0.196	8.0	0.314	12	35
6.0	0.236	8.0	0.314	12	51
6.0	0.236	9.0	0.354	9	40
7.0	0.275	10.0	0.393	7	44
8.0	0.314	10.0	0.393	7	58
9.0	0.354	12.0	0.472	5	51
9.5	0.375	12.7	0.500	5	51
10.0	0.393	13.0	0.511	4	54
12.0	0.472	16.0	0.629	3	51
12.7	0.500	17.4	0.687	2	48
19.1	0.750	25.4	1.000	1	51
25.4	1.000	38.1	1.500	0.5	40